

Infographic

COVID-19 & People of Color

TARA O'NEILL HAYES | MAY 12, 2020

AAF's new infographic shows people of color are more likely to have underlying health conditions that increase the risk of a more severe case of COVID-19.

COVID-19

People of color are more likely to have underlying health conditions that increase the risk of a more severe case of COVID-19

According to the Centers for Disease Control and Prevention.

90%

of adults hospitalized from COVID-19 have an underlying medical

Here are some of the most common medical conditions among those hospitalized:



Prevalent among 40 percent of

HYPERTENSION

28%

..compared to 28 percent of

Nonelderly American Indians and Alaska Natives (AIANs)

CARDIOVASCULAR DISEASE

Blacks have a lower prevalence of

BUT they are significantly more likely to die from heart disease, suggesting that if they do have it, it is either not well managed or

ASTHMA & DIABETES



Blacks and AIANs have higher rates of asthma and diabetes compared to Whites.



Nonelderly adults who are **Black, Hispanic, AIAN, or Native Hawaiins and Other Pacific Islanders are more likely to be obese** than those who are White.



Blacks have an HIV diagnosis rate that is eight times higher than Whites...

10X

...and an AIDS diagnosis rate that is 10 times higher. **HIV & AIDS**

OBESITY

3X

Hispanics have an HIV/AIDS diagnosis rate that is three times higher than Whites.

Combined with their decreased likelihood to have health insurance, the higher prevalence rates of these conditions puts racial and ethnic minorities in the United States at greater risk for negative outcomes if they contract COVID-19.

American Action Forum | AmericanActionForum.org



