



**Infographic**

# COVID-19 & People of Color

TARA O'NEILL HAYES | MAY 12, 2020

AAF's new infographic shows people of color are more likely to have underlying health conditions that increase the risk of a more severe case of COVID-19.







# COVID-19

## PEOPLE OF COLOR

People of color are more likely to have underlying health conditions that increase the risk of a more severe case of COVID-19.

According to the Centers for Disease Control and Prevention,

**90%**  
of adults hospitalized from COVID-19 have an underlying medical condition.

Here are some of the most common medical conditions among those hospitalized:

**40%**

Prevalent among 40 percent of non-Hispanic Blacks...

### HYPERTENSION

**28%**

...compared to 28 percent of Whites and Hispanics.

**2X**

Nonelderly American Indians and Alaska Natives (AIANs) are twice as likely as Whites to report having had a heart attack or heart disease.

### CARDIOVASCULAR DISEASE

Blacks have a lower prevalence of heart disease compared to Whites...

**BUT they are significantly more likely to die from heart disease, suggesting that if they do have it, it is either not well managed or more severe.**

### ASTHMA & DIABETES

Blacks and AIANs have higher rates of asthma and diabetes compared to Whites.

### OBESITY

Nonelderly adults who are Black, Hispanic, AIAN, or Native Hawaiians and Other Pacific Islanders are more likely to be obese than those who are White.

**8X**

Blacks have an HIV diagnosis rate that is eight times higher than Whites...

### HIV & AIDS

**3X**

Hispanics have an HIV/AIDS diagnosis rate that is three times higher than Whites.

**10X**

...and an AIDS diagnosis rate that is 10 times higher.

Combined with their decreased likelihood to have health insurance, the higher prevalence rates of these conditions puts racial and ethnic minorities in the United States at greater risk for negative outcomes if they contract COVID-19.

